

Interim Guidance for Places of Worship and Religious Services (May 22, 2020)

On April 23, 2020, Governor Cooper announced a <u>three-phased approach</u> to slowly lift restrictions while combatting COVID-19, protecting North Carolinians and working together to recover the economy.

This guidance provides the steps places of worship should take, and some additional guidance and preventative measures to prevent the spread of COVID-19.

Guidelines for Places of Worship: Any place where people gather together poses a risk for COVID-19 transmission. All entities that congregate people in an enclosed space should create and implement a plan to minimize the opportunity for COVID-19 transmission. The guidance below will help places of worship reduce the spread of COVID-19 in their communities.

If the place of worship offers child care or educational programming for children and youth, please follow CDC <u>guidance</u> for those settings.

This guidance covers the following topics:

- Social Distancing and Minimizing Exposure
- Cloth Face Coverings
- Cleaning and Hygiene
- Monitoring for Symptoms
- Protecting Vulnerable Populations
- Combatting Misinformation
- Water and Ventilation Systems
- Additional Resources

Social Distancing and Minimizing Exposure

<u>Social distancing</u> is a key tool to decrease the spread of COVID-19. Social distancing ("physical distancing") means keeping space between yourself and other people outside of your home. Stay at least 6 feet (about 2 arms' length) from other people; do not gather in groups; stay out of crowded places and avoid mass gatherings. Phase 2 includes several requirements and recommendations to support social distancing in spaces where the public may gather.

It is recommended that places of worship:

Space seating arrangements so there are 6 feet between groups who live in the same
household. Consider limiting seating to alternate rows.

☐ Ensure members of a choir or music ensemble maintain a distance of 6 feet from each other.

	Post signage reminding people about social distancing. Know Your W's sign templates are
	available in English and Spanish on the NC DHHS COVID-19 response site.
	In indoor and outdoor areas where people gather, provide floor markings at six-foot intervals to encourage social distancing.
	Clearly mark designated entry and exit points; if a house of worship or building has only one
	entry/exit point, try to stagger entry and exit times if possible.
	Provide an option for virtual services.
	Continue remote working for staff as much as possible. This includes clergy holding virtual visits
	by phone or online when possible. Stagger shifts where remote working is not possible.
	Provide education for staff on how to properly wear, remove, and wash face coverings.
	Consider whether gatherings such as religious classes, youth events, support groups, or other
	programming may be held virtually to ensure social distancing.
	Limit the use of frequently-touched objects such as worship aids, prayer books, hymnals,
	attendance registers, or other shared or passed items. Encourage congregants to bring their
	own prayers, bulletins, songs and texts through electronic means if possible.
	Consider a stationary collection box, or mail or electronic methods of collecting financial
	contributions instead of shared or passed collection trays or baskets.
	Encourage avoidance of physical contact among attendees as permissible within the
_	community's faith tradition.
	If food is offered at any event, have pre-packaged boxes or bags for each attendee, instead of a
	buffet or family-style meal. Avoid serving food from common dishes.
Cloth	Face Coverings
	ongly recommended that all staff and congregants wear a cloth face covering when they may be ess than 6 feet from) other people. An FAQ about face coverings is available in English and 1 .
	It is encouraged that places of worship provide cloth face coverings for staff and congregants. If
	provided, they must be single use or properly laundered using hot water and a high heat dryer
	between uses. Please share guidance to employees on use, wearing, and removal of cloth face coverings, such
_	as CDC's guidance on wearing and removing cloth face masks, CDC's use of cloth face coverings,
	and CDC's cloth face coverings FAQ's.
	and <u>spectalistic coverings made</u> .
Clean	ing and Hygiene
Washir	ng hands with soap for 20 seconds or using hand sanitizer reduces the spread of transmission.
	commended that places of worship:
	Perform ongoing and routine environmental cleaning and disinfection of high-touch areas (e.g.,
	doors, doorknobs, rails) with an EPA approved disinfectant for SARS-CoV-2 (the virus that causes
_	COVID-19), and increase disinfection during peak times or high density times.
u	Systematically and frequently check and refill hand sanitizers and assure soap and hand drying
	materials are available at sinks.
	materials are available at sinks. Prominently provide alcohol-based hand sanitizer (at least 60% alcohol) at entrances and exits and near high-touch areas.

	Promote frequent use of hand washing and hand sanitizer for staff and attendees. Require handwashing of staff immediately upon reporting to work, after contact with individuals, after
	performing cleaning and disinfecting activities, and frequently throughout the day.
_	To the extent possible, do not use items that are not easily cleaned, sanitized, or disinfected.
	All shared religious objects should be properly disinfected between uses as possible. Provide
	adequate contact time for disinfectant as required by the manufacturer before shared
_	equipment is used by another person.
	Provide tissues for proper cough and sneeze hygiene.
Ш	Increase circulation of outdoor air as much as possible by opening windows and doors, using
	fans, or other methods. Do not open windows and doors if they pose a safety risk.
Moni	toring for Symptoms
	cting regular screening for symptoms can help reduce exposure. Staff should be encouraged to
self-mo	onitor for symptoms such as fever, cough, or shortness of breath.
-	develop symptoms, they should notify their supervisor and return home. More information on
how to	monitor for symptoms is available from the CDC.
14:0	and a state of the
	commended that places of worship:
_	Have a plan in place for immediately removing employees from work if symptoms develop.
	Employees who have symptoms when they arrive at work or become sick during the day should
	immediately be separated from other employees, customers, and visitors and sent home.
	Conduct daily <u>symptom</u> screening (use this standard interview questionnaire) (<u>English</u> <u>Spanish</u>)
	of employees at entrance to workplace with immediately sending symptomatic workers home
	to <u>isolate</u> .
	Post signage at the main entrance requesting that people who have been symptomatic with
	fever and/or cough not enter, such as Know Your Ws/Stop if You Have Symptoms flyers (English
	- Color, Black & White; Spanish - Color, Black & White).
	Establish and enforce sick leave policies to prevent the spread of disease, including:
	Enforcing employees staying home if sick. Encouraging liberal use of sick leave policy.
	 Encouraging liberal use of sick leave policy. Expanding paid leave policies to allow employees to stay home when sick.
	Per CDC guidelines, if an employee has been diagnosed with COVID-19 or is presumed positive
	by a medical professional due to symptoms, the employee should be excluded from work until: O No fever for at least 72 hours since recovery (without the use of fever-reducing
	 No fever for at least 72 hours since recovery (without the use of fever-reducing medicine) AND
	 Other symptoms have improved (e.g., coughing, shortness of breath) AND
	 At least 10 days have passed since first symptoms
	Per CDC guidelines, if an employee has been diagnosed with COVID-19 but does not have
_	symptoms, they should remain out of work until 10 days have passed since the date of their first
	positive COVID-19 diagnostic test, assuming they have not subsequently developed symptoms
	since their positive test.
	·
_	disinfecting procedure should be implemented by designated personnel following CDC
	guidelines once sick employee leaves.
	Provide employees with information on help lines to access information or other support in
	reference to COVID-19, e.g. 211 and Hope4NC Helpline (1-855-587-3463).

Protecting Vulnerable Populations

Information on who is at higher risk for severe disease is available from the <u>CDC</u> and <u>NCDHHS</u>.

	Encourage the use of virtual services or designate exclusive times to access services for seniors and other at-risk groups as defined by the CDC. Enable employees to self-identify as high risk for severe disease and reassign work to telework, minimize face-to-face contact, or otherwise maintain a distance of six feet from others. Offer provisions for persons at higher risk such as how to minimize interaction with patrons, social distancing and spacing reminders, recommending wearing a cloth face covering.
Help ei Use res	patting Misinformation Insure that the information your employees is getting is coming directly from reliable resources. Sources from a trusted source like the CDC or NCDHHS to promote behaviors that prevent the of COVID-19.
_	Make information available to workers about COVID-19 prevention and mitigation strategies, using methods like videos, webinars, or printed materials like FAQs. Some reliable sources include NC DHHS COVID-19, Know Your Ws: Wear, Wait, Wash, NC DHHS COVID-19 Latest Updates, NC DHHS COVID-19 Materials & Resources Put up signs and posters, such as those found Know Your Ws: Wear, Wait, Wash and those found Social Media Toolkit for COVID-19. If appropriate, have messaging such as a short video emphasizing the importance of maintaining physical distancing and hand hygiene.
Reduce	er and Ventilation Systems ed use of water and ventilation systems can pose their own health hazards. There is increased risk ionella and other waterborne pathogens from stagnant or standing water.
	reopening, it is recommended that places of worship: Follow the CDC's <u>Guidance</u> for Reopening Buildings After Prolonged Shutdown or Reduced Operation to minimize the risk of diseases associated with water. Ensure ventilation systems operate properly and increase circulation of outdoor air as much as possible by opening windows and doors, using fans, or other methods. Do not open windows

and doors if they pose a safety or health risk to people using the facility.

Additional Resources

- CDC: FAQs for Administrators and Leaders at Community- and Faith-Based Organizations
- CDC: Interim Guidance for Administrators and Leaders of Community- and Faith-Based Organizations to Plan, Prepare, and Respond to Coronavirus Disease 2019
- CDC: Interim Guidance for Businesses and Employers
- CDC: Cleaning and Disinfecting Your Facility
- U.S. Environmental Protection Agency (EPA): Disinfectants for Use Against SARS-CoV-2
- U.S. Food and Drug Administration (FDA): <u>Food Safety and the Coronavirus Disease 2019</u> (COVID-19)
- U.S. Department of Health and Human Services/Occupational Safety and Health Administration (OSHA): Guidance on Preparing Workplaces for COVID-19
- U.S. Department of Homeland Security: <u>Guidance on the Essential Critical Infrastructure</u>
 Workforce



Staying apart brings us together. Protect your family and neighbors.



Learn more at nc.gov/covid19.